ON BEHALF OF THE UK HEALTH SECURITY AGENCY YORKSHIRE & HUMBER HEALTH PROTECTION TEAM

Dear Headteacher,

Re: Increase in scarlet fever

We are writing to inform you of a recent national increase in notifications of scarlet fever to the UK Health Security Agency (UKHSA), above seasonal expected levels.

We would like to take this opportunity to remind you of the signs, symptoms and the actions to be taken if you become aware of cases or an outbreak at your school or nursery.

Signs and symptoms of scarlet fever

Scarlet fever is a common childhood infection caused by *Streptococcus pyogenes*, or group A Streptococcus (GAS). It is not usually serious, but should be treated with antibiotics to reduce the risk of complications (such as pneumonia) and spread to others. The early symptoms of scarlet fever include sore throat, headache, fever, nausea and vomiting. After 12 to 48 hours, the characteristic red rash develops, usually first on the chest and stomach, then rapidly spreading to other parts of the body, making the skin have a sand-paper like feel to it. The scarlet rash may be harder to spot on darker skin, although the 'sandpaper' feel should be present. Patients usually have flushed red cheeks. They may also have a bright red 'strawberry' tongue.

Invasive Group A Strep (iGAS)

The same bacteria which cause scarlet fever can also cause a range of other types of infection such as skin infections (impetigo) and sore throat. In very rare cases, the bacteria can get into the bloodstream and cause an illness called invasive Group A strep (iGAS). Whilst still uncommon, there has been an increase in iGAS cases this year, particularly in children under 10 years old. It is very rare for children with scarlet fever to develop iGAS infection. Parents are advised to trust their judgement when their child is unwell; if their child seriously deteriorates, they should speak to their GP or call 111 for advice.

Infection control advice

In schools and nurseries, infections can be spread through direct physical contact between children (and staff) and through shared contact with surfaces such as table tops, taps, toys and handles. During periods of high incidence of scarlet fever there may also be an increase in outbreaks in schools, nurseries and other childcare settings. As per national 'Health protection in children and young people settings, including education' guidance, children and adults with suspected scarlet fever should be **excluded** from nursery / school / work for **24 hours** after the commencement of appropriate antibiotic treatment. Good hygiene practice such as hand washing, regular cleaning of classrooms and equipment and good ventilation are the most important steps in preventing and controlling spread of infection.

Outbreak of Scarlet Fever

An outbreak of scarlet fever is two or more scarlet fever cases attending the same school / nursery or other childcare setting notified within 10 days of each other with a link between them, for example they are in the same class or year group.

Please see the guidance <u>Management of scarlet fever outbreaks in schools</u> (publishing.service.gov.uk) if you suspect there is an outbreak.

You should contact the **Yorkshire and Humber Health Protection Team on 0113 3860300** for advice, if:

- 1. You have one or more cases of chickenpox or flu in the class that has scarlet fever at the same time. This is because infection with scarlet fever and either chickenpox or flu at the same time can result in more serious illness.
- 2. You are experiencing an outbreak of scarlet fever in a setting / class that provides care or education to children who are clinically vulnerable.
- 3. The outbreak continues for over 2 weeks, despite taking steps to control it.
- Any child or staff member is admitted to hospital with any Group A Strep (GAS) infection (or there is a death).
- 5. Any issues that are making it difficult to manage the outbreak.

If you have any concerns about managing outbreaks in your setting, please contact your local Health Protection Team for advice.

Yours sincerely,

Laure

Louise Wallace Director of Public Health for North Yorkshire

ON BEHALF OF THE UK HEALTH SECURITY AGENCY YORKSHIRE & HUMBER HEALTH PROTECTION TEAM

Resources

<u>NHS – Scarlet Fever</u> <u>Scarlet fever: symptoms, diagnosis and treatment</u> <u>Management of scarlet fever outbreaks in schools (publishing.service.gov.uk)</u> <u>Health protection in education and childcare settings</u> <u>Hand hygiene resources for schools</u>